

C-SERIES

Compact Changer

with the
**Jam-Free Tray Style
Bill Acceptors**




Ardac[®]
Incorporated
A MAYTAG[®] Company



C-SERIES DESIGN FEATURES:

With over 25 years of experience, we're proud to be a world leader in the technique of currency recognition, stacking and dispensing of coins. Go with the leader. Specify the Ardac currency changer.



Model C8025 Shown

- **CABINET SECURITY** - Meets or exceeds vend/amusement standards.
- Large T-handle (U.L./NAMA) now fully recessed.
- Heavy gage lock bar and four (4) lock cams.
- Lock cams hook and interlock into inside channel.
- Heavy gage door with rolled edges to form tongue.
- Cabinet with double-roll edges plus groove for door tongue.
- Replaceable and adjustable door without welding.
- Compact-rigid for wall or stand mount.
- Holes provided to mount to stand and/or header.

COINAGE ACCEPTED - Optional, 25¢-50¢ OR 25¢-SBA dollar coin.

- Each cabinet has mounting provisions and hardware to add the coin channel or it can be factory installed.
- Change payout combination set by simple program card.

HOPPERS - Exclusive Ardac design.

- Save time - quickest to access, fill and empty.
- Modular, self contained to save operation and service time.
- Nickels or dimes or quarters dispensed from hopper.
- SBA dollar coin/token hoppers available.
- Minimum cleaning and maximum on-the-job time.
- Models offer one or two hoppers plus expanded capacity where desired.
- Field proven to be very reliable and simple to service. (C8025 shown without coin channel - extra capacity right hopper in lieu of coin channel).

INDICATORS - Highly visible "leds" in all models.

- Visually advise customer of changers' status.
- Long life - hi intensity leds.

CHANGE-CUP - Quick, one-handed coin pick-up speeds transaction.

- Durable, esthetically pleasing hard nickel-chrome finish.
- Rugged, vandal proof die-cast construction.
- Cup door to eliminate coin bounce to floor.
- Cup door to reduce access to inside of changer.

CONTROL MODULE - Immediate access, quick-change PCB cards.

- Simply open door for immediate access to cards.
- PCB plug in-out edge cards for all controls.
- Payout combination setting quick - fool proof.
- Isolate faults by simple swap-position process.
- Proven - highly reliable technology.
- Circuitry to operate optional bill counters.

TRAY ACCEPTOR - Accept old and new bills, without jams.

- Accepts practically all good bills (old and new).
- Virtually, the worlds' only jam-free bill acceptor.
- U.S. \$1 or U.S. \$5 and \$5 models available.
- Serviceable by street and bench level mechanics.
- Easy, on door access for service.


TRAY STACKER - Neatly stacks 1100 bills.

- Standard for all changer models.
- Install or remove in minutes.
- Positive-immediate alignment to tray as installed.
- Jam resistant for old-rag and new condition bills.
- Cycle and self test switch.
- Instant on-door access to speed up bill collection and service.

C-SERIES MODEL FEATURES TO SUIT YOUR NEEDS


▼ MODEL C8020 SHOWN

- Two standard size hoppers (1800 quarters each).
- \$1 jam-free tray acceptor.
- 1100 bill stacker.
- W/O coin channel but with field mounting provisions.



▼ UNLOAD

Slip coin bag around bag hooks on bottom of hopper. Secure on hooks by pulling on bag. Lift dump handle. Coins quickly drop out of bottom of hopper. Lifting of the dump handle also rotates belt with pick-up cleats to clear it and the front channel. Return handle and hopper is ready to reload with coins/tokens.




▲ LOAD

Quick-easy access. Tilt forward and dump coins/tokens from bag into convenient opening. Takes only seconds to dump bag(s). Push tilted hopper to rear. Depress conveniently located reset button. Hopper fills front channel. The changer is now ready.




► CONTROL MODULE


Immediate access to all control cards. Card cage design with door permits PCB service without tools. Immediate fault isolation possible by simple swapping of position. Substitute PCB plugged-in in a matter of seconds. Short circuit protection by conveniently located circuit breaker. Easy to access on-off rocker switch for power. Terminal strip clearly labeled for easy installation of included power cord. Circuitry to operate optional \$1 and \$5 bill non-reset counters.



▲ PROGRAM CARDS


Highly reliable - simple to use gold plated edge cards. A card provided for \$1 bill, \$5 bill and coins. The card has 4 edges. A payout combination is shown on each edge. Select the desired edge and simply push it into its slot inside the control module. Fool-proof and reliable. Does not use troublesome miniature switches and complicated binary addition.





Banked

Stand
(Secured to wall or floor)



C SERIES SPECIFICATIONS

Model	C8000	C8020	C8005	C8025
BILLS ACCEPTED	U.S. \$1	U.S. \$1	U.S. \$1 and \$5	U.S. \$1 and \$5
BILL STACKER (Qty.)	1100	1100	1100	1100
COINS ACCEPTED	N/A	Optional Q-H or Q-\$	N/A	Optional Q-H or Q-\$
HOPPER, QUANTITY/STYLE	1 STD. *	2 STD. *	1 EXPX2 *	1 STD. / 1 EXPXR *
HOPPER CAPACITY (Max.)	\$450	\$900	\$750	\$1,000
WEIGHT. . .Empty/Full	89/108 lbs.	101/165 lbs.	99/146 lbs.	101/172 lbs.
CABINET. . .FINISH. . . DESIGN. . . POWER. . .	Walnut Brown, baked enamel is standard. IBM Black available as a special order. Security door, 12 gauge with rolled edges to provide tongue-in-groove interlock with cabinet. Unique double roll and fold edges on cabinet front. Large UL/NAMA T-handle fully recessed. Mounting holes in top and bottom for header and base. Coin channel mounting provisions in all cabinets. 120 VAC, 60 Hertz, 200 Watts, 1.5 Amps (102 VAC - 130 VAC).			
OPTIONAL ACCESSORIES. . .	Base and header to bank; base only to secure to wall/floor; non resettable electro-mechanical counters for \$1 and \$5 bills; coin channel to accept quarters and halves (Q-H) or quarters and SBA coins (Q-\$).			
HOPPER-STD = Standard Size *		HOPPER-EXPX2 = Expand Two Sides *		HOPPER-EXPXR = Expand Rt. Side *
5¢	10¢	25¢	5¢	10¢
2100 (\$105)	4200 (\$420)	1800 (\$450)	2800 (\$140)	5400 (\$540)
				2200 (\$550)



A MAYTAG® Company
34000 VOKES DRIVE, EASTLAKE, OH 44094
216/946-3000

Distributed By: